Full Colour Multi Function Printer

RICOH IM C2000 IM C2500 IM C3000 IM C3500





Take advantage of technology that scales and flexes as your business needs do. Be more productive and efficient with the RICOH IM C2000 / C2500 / C3500 range of A3 colour devices.

Access a range of productivity features and upgrades -such as scanning directly to your email or dedicated folders on your network and ensure you have the latest security enhancements and mobile device connectivity options. Our intelligent devices are designed to do more as and when our business needs to, using technology that is scalable, secure, sustainable and simple.

Take advantage of:

- Print speeds of 20 35 ppm
- Easy-to-use 10.1" Smart Operation Panel with intuitive menu
- Mobile connectivity options including NFC, AirPrint* or Mopria
- Increased uptime and performance with RICOH Intelligent Support




Ricoh Intelligent Devices: Scalable. Secure. Sustainable. Simple.

With our new intelligent devices, you can benefit from the outstanding quality, reliability and security that you can expect from Ricoh, plus on-demand access to the latest technology.

Forget the days of buying a new device every time you want access to updated technology. With Ricoh's new Intelligent Devices you will be able to access the latest technology through updates made directly to the device as you need them – so its capabilities can grow as your business does. Download the latest features, upgrades and applications as you need them, to keep your device up to date and ready to meet your business needs – now and in the future.





Work-flow Efficiency

You can tailor settings for individual users for quick access to apps which are used more often. The new small sized paper scanning units allow you to scan smaller documents much more conveniently, and the expanded paper tray capacity allows you to work more efficiently. Automatic firmware upgrades ensure that your devices are at maximum security so you can have peace of mind.

Smart Support when you need it

Our range of intelligent devices come fitted with a 10.1" Smart Operation Panel designed to enhance your productivity and mobility. Experience a user interface that offers fast and simple navigation with the ability to customise the layout to best suit your needs - even by adding your own company branding. Access device features, move between jobs and tasks quickly and conveniently enabling teams to work smarter.





Ease of Use

Quick access to Web Help Tools via RICOH Intelligent Support help customers to complete simple tasks like toner replacement quickly and easily. Our consistent user interface across your Ricoh fleet provides an optimal and familiar experience everywhere and anywhere. Other than RICOH native applications in our intelligent devices, we have also collaborated with third party solutions to optimize your document management workflow.

Technology that grows with your Business

Simply add software solutions, applications and cloud services as you need them to optimise your document management workflows and help your employees work faster, smarter and more securely. RICOH Always Current Technology allows new features, applications and upgrades to be downloaded and installed directly to your device on request. No need to call a technician or wait until end of a contract. Easy. Scalable. Customisable.





"You can connect your RICOH Intelligent Device to external cloud services and third-party apps with Ricoh workflow applications. Convert paper-based information to digital by scanning directly to services such as DropBox™ or Sharepoint™, or scan direct to folders on your corporate network. Get quick access to a range of 'scan-to' functionality as new services become available."

Rely on Outstanding Built-in Security

Ricoh enables secure access to data whilst ensuring that security features and products do not hinder business innovation, functionality or productivity – so you can get on with the job, knowing your data is safe.

Ricoh helps protect your business data throughout its entire lifecycle – from solutions such as user authentication which prevents sensitive documents from being viewed, copied or sent by unauthorised users, to hard drive surrender services for the device at its end of life. Ricoh's DataOverwriteSecurity System (DOSS) is designed to overwrite the areas of the hard drive used for image processing after each printing, copy, scan or fax job.





Minimise your Business' Carbon Footprint

When you partner with Ricoh, you are making an environmentally sound choice thanks to our deep and enduring commitment to minimising the environmental impact of our devices and workflow. RICOH Intelligent Devices have one of the lowest energy consumption levels in the industry, both in Typical Electricity Consumption (TEC) and actual power consumption. Default Auto Off timer setting lowers power consumption, running costs and carbon footprint when the device is not active – while a quick recovery time makes sure there is no impact on your productivity.

RICOH IM C2000 / IM C2500 / IM C3000 / IM C3500

MAIN SPECIFICATIONS

GENERAL

21 Seconds Warm-up time:

First output speed: Full colour (IM C2000/C2500): 7.4 Seconds

(IM C3000/C3500): 6.9 Seconds

B/W (IM C2000/C2500): 5.1 Seconds (IM C3000/C3500): 4.5 Seconds

Continuous output speed (IM C2000/C2500): 20ppm/25ppm

(IM C3000/C3500): 30ppm/35ppm

2GB Std / 4GB Max Memory Std/Max: HDD Std/Max: 320GB Std/Max

ARDF/SPDF Capacity: 100/220 sheets

Standard: 587 x 685 x 788 mm Dimensions (W x D x H):

Max (excluding ARDF/SPDF): 668 x 738 x 1030 mm

Weight (Mainframe): Less Than 82.5Kg (IM C2000/C2500) Less Than 85.5Kg (IM C3000/C3500)

Power source: 220 - 240V 50/60Hz

COPIER

Multiple copying: Up to 999 copies

Resolution: 600 dpi

From 25% to 400% in 1% Step Zoom

PRINTER

Intel Atom Processor ApolloLake 1.3GHz

Standard: PCL5c, PCL6, PostScript 3 (Emulation), Printer language:

PDF Direct (emulation)

Option: Genuine Adobe[®] PostScript[®] 3™, XPS, IPDS

PictBridge, PDF Direct from Adobe®

Print resolution: 1,200 x 1,200 dpi

Standard: Ethernet 10 base-T/100base-TX/1000 base-T,

USB Host I/F Type A, USB Device I/F Type B

Option: Bi-directional IEEE 1284/ECP, Wireless LAN (IEEE

802.11a/b/g/n), Additional NIC (2nd port)

Mobile printing capability: Apple AirPrint™, Mopria, Google Cloud Print, NFC, Ricoh

Smart Device Connector

Windows environments: Windows® 7, Windows® 8.1, Windows®10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server

2012R2. Windows® Server 2016

Mac OS environments: Macintosh OS X10.11 or Later

UNIX environments: UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat®

> Linux Enterprise, IBM® AIX SAP® S/4®

SAP® environments: Other Supported

environments: IRM iSeries

SCANNER

Scanning speed (SPDF): 120ipm (Simplex) / 240ipm (duplex)

(ARDF): 80ipm (Simplex/duplex)

Resolution (Maximum): 1,200 dpi

Compression Method: TIFF (MH, MR, MMR, JBIG2), Grayscale File Formats: Single Page TIFF, Single page JPEG, Single Page High

compression PDF, Single page PDF-A, Multi page TIFF,

Multi page PDF, Multi page High compression PDF, Multi

Page PDF-A

Email, Folder, USB, SD Card Scan Modes:

FACISMILE

PSTN, PBX Circuit Tranmission Speed: 2 Seconds 33.6 Kbps Modem Speed (Maximum):

Resolution: Standard: 8 x 3.65 line/mm, 200 x 100 dpi

Option: 16 x 15.4 line/mm, 400 x 400 dpi

Compression method: MH, MR, MMR, JBIG

Standard : 4MB (320 Pages) Memory capacity: Maximum : 60MB (4,800 Pages)

RICOH

imagine. change.

PAPER HANDLING

Recommended paper size: SRA3, A3, A4, A5, A6, B4, B5, B6

Standard: 1,200 sheets Paper Input Capacity:

Maximum (IM C2000/C2500): 2,300 Sheets

(IM C3000/C3500): 4,700 Sheets

Standard: 500 Sheets Paper Output Capacity:

Maximum: 1,625 Sheets

60 - 300 g/m² Paper Types: Plain paper, Recycle paper, Special paper, Color paper,

Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper, OHP

ECOLOGY

Paper Weight:

Maximum: Less Than 1,700 W Power consumption:

> Ready mode (IM C2000/C2500): 46.2 W (IM C3000/C3500): 47.6 W

Sleep mode: 0.55 W

TEC Value (IM C2000/C2500): 0.7kWh/0.9kWh (IM C3000/C3500): 1.1kWh/1.3kWh

OUTPUT TRAY AND FINISHER OPTION

DOTFOT TRAT AND TINISHER OF HON	
1 x 550-Sheets Paper Tray (PB 3270)	Paper Size : A6-SRA3, Paper Weight : 60-300g/m²
2 x 550-Sheets Paper Tray (PB 3300) [Available for IM C2000, IM C2500 only]	Paper Size: A6-SRA3, Paper Weight: 60-300g/m²
2 x 550-Sheets Paper Tray (PB 3280) [Available for IM C3000, IM C3500 only]	Paper Size: A6-SRA3, Paper Weight: 60-300g/m²
2,000-Sheets Large Capacity Tray (LCIT PB3290) [Available for IM C3000, IM C3500 only]	Paper Size : A4, Paper Weight : 60-300g/m²
1,500-Sheets Large Capacity Tray (LCIT RT3040) [Available for IM C3000, IM C3500 only]	
1,000-Sheets Hybrid Finisher (SR3260) [Available for IM C3000, IM C3500 only]	Paper Size: Proof Tray: A6-A3, Shift Tray: A6-A3, Paper weight: 60-300g/m² Staple paper size: A4-A3, Staple paper weight: 52-105g/m Staple position: Top, Bottom, 2 Staples Staple capacity Max: 50 sheets (A4) 30 Sheets (A3) Stapleless capacity Max: 5 sheets (A4/A3)
1,000-Sheet Booklet Finisher (SR3270)	Paper Size: Proof Tray: A6-A3, Shift Tray: A6-A3, Booklet tray: A4-A3 Paper weight: 60-300g/m² Staple paper size: A4-A3, Staple paper weight :52-105g/m Staple position: Top, Bottom, 2 Staples, Booklet Staple capacity Max: 50 sheets (A4) 30 Sheets (A3)
500-Sheet Internal Finisher (SR3250)	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52- 105g/m Staple position : Top, Bottom, 2 Staples Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)
250-Sheet Internal Finisher (SR3300)	Paper Size: A6-A3, Paper weight: 60-300g/m² Staple paper size: A4-A3, Staple paper weight: 52- 105g/m Staple position: Top,1 Staple Staple capacity Max: 2-5 sheets (A4)
Internal Shift Tray (SH3080)	Tray Capacity : 250 sheets, Paper size : 320 mm x 600 mm or smaller, Paper weight : 60-300g/m²
One-bin tray (BN3130)	Tray Capacity : 125 sheets, Paper size : A5 - A3, Paper weight : 52-300g/m²

OTHER OPTIONS

Platen Cover PN2000, DF3110, DF3120, Fax Option Type M37, G3 Interface Unit Type M37, Fax Connec-Platen Cover PNZUUD, DF3110, DF3120, Fax Option type M37, G3 Interface Unit Type M37,Fax Connection unit Type M37,Fax Memory unit Type M19 64MB, Memory Unit Type M37 64S Caster Table Type M37, W19 M37, Side Tray, Punch Unit NA/EU/SC (PU3070,PU3080), Camera direct print card, Postscript3 Unit Type M37, SF5 direct print Option Type M37, IEEE 1284 I/F Type M19, IEEE 802.11a/g/n I/F Type M19, Device server option Type M37, File format Converter Type M19, Option W13, Small Paper Feeding Unit Type M37, Page Keeper Type M37, ADF Handle, External Keyboard Bracket Type M19, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, NFC Card Reader Type M37, Smart Card Reader Built in Unit Type M37, External USB Keyboard (No bracket), Unicode Font Package for SAP®License, Internal Multi-fold unit FD3010 (Available for IM C3000/IM C3500 only), Color Controller E-25C (Available for IM C3000/IM C3500 only)



20W Pasir Panjang Road #04-28 Mapletree Business City Singapore 117439

Phone: +65 6474 0777 Fax: +65 6476 0777

Email: sales@ricoh.sg Website: www.ricoh.sg



















^{*}AirPrint certification will be available in 2019.